

REGION	LEA/ NUMBER	YEAR	TOTAL POPULATION	RACE	BED/MD	COMPOSITION INDEX	RISK INDEX	RISK RATIO	FREE- REDUCED
SOUTHEAST	Bladen	2002-2003	50.15%	AFRICAN AMERICAN	EMD	72.81%	5.83%	2.95	
SOUTHEAST	Bladen	2002-2003	44.56%	WHITE	EMD	21.93%	1.97%		
SOUTHEAST	Bladen	2002-2003	50.15%	AFRICAN AMERICAN	BED	81.82%	.63%	5.72	
SOUTHEAST	Bladen	2002-2003	44.56%	WHITE	BED	13.64%	.11%		
SOUTHEAST	Bladen	2003-2004	49.96%	AFRICAN AMERICAN	EMD	71.62%	5.71%	2.77	
SOUTHEAST	Bladen	2003-2004	43.90%	WHITE	EMD	22.71%	2.06%		
SOUTHEAST	Bladen	2003-2004	49.96%	AFRICAN AMERICAN	BED	75.86%	.77%	3.85	
SOUTHEAST	Bladen	2003-2004	43.90%	WHITE	BED	17.24%	.20%		70.98%
SOUTHEAST	Brunswick	2002-2003	24.08%	AFRICAN AMERICAN	EMD	54.91%	4.21%	4.62	
SOUTHEAST	Brunswick	2002-2003	71.84%	WHITE	EMD	40.46%	.91%		
SOUTHEAST	Brunswick	2002-2003	24.08%	AFRICAN AMERICAN	BED	31.58%	1.17%	1.46	
SOUTHEAST	Brunswick	2002-2003	71.84%	WHITE	BED	64.21%	.80%		
SOUTHEAST	Brunswick	2003-2004	23.76%	AFRICAN AMERICAN	EMD	53.25%	3.54%	3.85	
SOUTHEAST	Brunswick	2003-2004	71.31%	WHITE	EMD	41.42%	.92%		
SOUTHEAST	Brunswick	2003-2004	23.76%	AFRICAN AMERICAN	BED	33.93%	1.49%	1.62	
SOUTHEAST	Brunswick	2003-2004	71.31%	WHITE	BED	62.50%	.92%		56.04%
SOUTHEAST	Carteret	2002-2003	11.57%	AFRICAN AMERICAN	EMD	38.78%	4.02%	4.90	
SOUTHEAST	Carteret	2002-2003	85.73%	WHITE	EMD	59.18%	.82%		
SOUTHEAST	Carteret	2002-2003	11.57%	AFRICAN AMERICAN	BED	21.43%	2.54%	2.12	
SOUTHEAST	Carteret	2002-2003	85.73%	WHITE	BED	75.00%	1.20%		
SOUTHEAST	Carteret	2003-2004	11.55%	AFRICAN AMERICAN	EMD	34.07%	3.26%	3.93	
SOUTHEAST	Carteret	2003-2004	85.31%	WHITE	EMD	63.74%	.83%		
SOUTHEAST	Carteret	2003-2004	11.55%	AFRICAN AMERICAN	BED	22.86%	2.52%	2.33	
SOUTHEAST	Carteret	2003-2004	85.31%	WHITE	BED	72.38%	1.08%		38.45%
SOUTHEAST	Columbus	2002-2003	40.43%	AFRICAN AMERICAN	EMD	70.62%	9.18%	4.10	
SOUTHEAST	Columbus	2002-2003	50.67%	WHITE	EMD	21.56%	2.24%		
SOUTHEAST	Columbus	2002-2003	40.43%	AFRICAN AMERICAN	BED	45.71%	.56%	1.17	
SOUTHEAST	Columbus	2002-2003	50.67%	WHITE	BED	48.57%	.48%		
SOUTHEAST	Columbus	2003-2004	40.52%	AFRICAN AMERICAN	EMD	71.95%	8.93%	4.13	
SOUTHEAST	Columbus	2003-2004	50.09%	WHITE	EMD	21.53%	2.16%		
SOUTHEAST	Columbus	2003-2004	40.52%	AFRICAN AMERICAN	BED	56.25%	.63%	2.03	
SOUTHEAST	Columbus	2003-2004	50.09%	WHITE	BED	34.38%	.31%		71.87%
SOUTHEAST	Whiteville City	2002-2003	45.50%	AFRICAN AMERICAN	EMD	84.80%	8.62%	6.25	
SOUTHEAST	Whiteville City	2002-2003	50.80%	WHITE	EMD	15.20%	1.38%		
SOUTHEAST	Whiteville City	2002-2003	45.50%	AFRICAN AMERICAN	BED	69.57%	1.30%	3.61	
SOUTHEAST	Whiteville City	2002-2003	50.80%	WHITE	BED	21.74%	.36%		
SOUTHEAST	Whiteville City	2003-2004	48.17%	AFRICAN AMERICAN	EMD	82.05%	7.88%	5.75	
SOUTHEAST	Whiteville City	2003-2004	37.75%	WHITE	EMD	16.24%	1.37%		
SOUTHEAST	Whiteville City	2003-2004	48.17%	AFRICAN AMERICAN	BED	63.64%	1.15%	2.67	
SOUTHEAST	Whiteville City	2003-2004	37.75%	WHITE	BED	27.27%	.43%		63.94%
SOUTHEAST	Craven	2002-2003	36.24%	AFRICAN AMERICAN	EMD	68.09%	3.94%	2.25	
SOUTHEAST	Craven	2002-2003	59.10%	WHITE	EMD	30.26%	1.75%		
SOUTHEAST	Craven	2002-2003	36.24%	AFRICAN AMERICAN	BED	53.23%	2.03%	2.00	
SOUTHEAST	Craven	2002-2003	59.10%	WHITE	BED	43.28%	1.01%		

REGION	LEA/ NUMBER	YEAR	TOTAL POPULATION	RACE	BED/MD	COMPOSITION INDEX	RISK INDEX	RISK RATIO	FREE- REDUCED
SOUTHEAST	Craven	2003-2004	36.56%	AFRICAN AMERICAN	EMD	68.17%	3.99%	3.56	
SOUTHEAST	Craven	2003-2004	58.49%	WHITE	EMD	30.55%	1.12%		
SOUTHEAST	Craven	2003-2004	36.56%	AFRICAN AMERICAN	BED	57.89%	2.28%	2.40	
SOUTHEAST	Craven	2003-2004	58.49%	WHITE	BED	38.76%	.95%		49.48%
SOUTHEAST	Cumberland	2002-2003	49.58%	AFRICAN AMERICAN	EMD	74.55%	1.77%	3.11	
SOUTHEAST	Cumberland	2002-2003	41.38%	WHITE	EMD	20.07%	.57%		
SOUTHEAST	Cumberland	2002-2003	49.58%	AFRICAN AMERICAN	BED	34.01%	1.25%	1.45	
SOUTHEAST	Cumberland	2002-2003	41.38%	WHITE	BED	59.38%	.86%		
SOUTHEAST	Cumberland	2003-2004	50.47%	AFRICAN AMERICAN	EMD	76.16%	1.91%	3.29	
SOUTHEAST	Cumberland	2003-2004	40.30%	WHITE	EMD	18.59%	.58%		
SOUTHEAST	Cumberland	2003-2004	50.47%	AFRICAN AMERICAN	BED	61.20%	1.50%	1.50	
SOUTHEAST	Cumberland	2003-2004	40.30%	WHITE	BED	32.52%	1.00%		54.57%
SOUTHEAST	Duplin	2002-2003	34.99%	AFRICAN AMERICAN	EMD	71.25%	7.30%	4.08	
SOUTHEAST	Duplin	2002-2003	45.59%	WHITE	EMD	22.68%	1.79%		
SOUTHEAST	Duplin	2002-2003	34.99%	AFRICAN AMERICAN	BED	69.23%	.59%	2.95	
SOUTHEAST	Duplin	2002-2003	45.59%	WHITE	BED	30.77%	.20%		
SOUTHEAST	Duplin	2003-2004	33.92%	AFRICAN AMERICAN	EMD	71.43%	6.88%	4.19	
SOUTHEAST	Duplin	2003-2004	44.57%	WHITE	EMD	22.30%	1.64%		
SOUTHEAST	Duplin	2003-2004	33.92%	AFRICAN AMERICAN	BED	63.64%	.70%	2.26	
SOUTHEAST	Duplin	2003-2004	44.57%	WHITE	BED	36.36%	.31%		64.56%
SOUTHEAST	Wayne	2002-2003	44.39%	AFRICAN AMERICAN	EMD	77.99%	5.33%	4.63	
SOUTHEAST	Wayne	2002-2003	48.47%	WHITE	EMD	18.37%	1.15%		
SOUTHEAST	Wayne	2002-2003	44.39%	AFRICAN AMERICAN	BED	75.32%	.69%	3.54	
SOUTHEAST	Wayne	2002-2003	48.47%	WHITE	BED	23.38%	.195%		
SOUTHEAST	Wayne	2003-2004	43.78%	AFRICAN AMERICAN	EMD	76.83%	5.22%	4.39	
SOUTHEAST	Wayne	2003-2004	47.56%	WHITE	EMD	18.99%	1.19%		
SOUTHEAST	Wayne	2003-2004	43.78%	AFRICAN AMERICAN	BED	65.82%	.62%	2.21	
SOUTHEAST	Wayne	2003-2004	47.56%	WHITE	BED	32.91%	.28%		55.28%
SOUTHEAST	Greene	2002-2003	51.08%	AFRICAN AMERICAN	EMD	80.95%	5.21%	3.50	
SOUTHEAST	Greene	2002-2003	35.68%	WHITE	EMD	16.19%	1.49%		
SOUTHEAST	Greene	2002-2003	51.08%	AFRICAN AMERICAN	BED	72.73%	2.45%	2.15	
SOUTHEAST	Greene	2002-2003	35.68%	WHITE	BED	23.64%	1.14%		
SOUTHEAST	Greene	2003-2004	51.16%	AFRICAN AMERICAN	EMD	80.85%	4.66%	3.61	
SOUTHEAST	Greene	2003-2004	33.98%	WHITE	EMD	14.89%	1.29%		
SOUTHEAST	Greene	2003-2004	51.16%	AFRICAN AMERICAN	BED	77.08%	2.27%	2.47	
SOUTHEAST	Greene	2003-2004	33.98%	WHITE	BED	20.83%	.92%		69.21%
SOUTHEAST	Jones	2002-2003	54.41%	AFRICAN AMERICAN	EMD	76.67%	5.91%	2.96	
SOUTHEAST	Jones	2002-2003	41.89%	WHITE	EMD	20.00%	2.00%		
SOUTHEAST	Jones	2002-2003	54.41%	AFRICAN AMERICAN	BED	68.42%	1.67%	2.01	
SOUTHEAST	Jones	2002-2003	41.89%	WHITE	BED	26.32%	.83%		
SOUTHEAST	Jones	2003-2004	54.39%	AFRICAN AMERICAN	EMD	80.36%	6.00%	4.35	
SOUTHEAST	Jones	2003-2004	41.99%	WHITE	EMD	14.29%	1.38%		
SOUTHEAST	Jones	2003-2004	54.39%	AFRICAN AMERICAN	BED	63.16%	1.60%	1.86	
SOUTHEAST	Jones	2003-2004	41.99%	WHITE	BED	26.32%	.86%		85.06%

REGION	LEA/ NUMBER	YEAR	TOTAL POPULATION	RACE	BED/MD	COMPOSITION INDEX	RISK INDEX	RISK RATIO	FREE- REDUCED
SOUTHEAST	Lenoir	2002-2003	51.54%	AFRICAN AMERICAN	EMD	79.71%	6.22%	4.07	
SOUTHEAST	Lenoir	2002-2003	43.64%	WHITE	EMD	16.63%	1.53%		
SOUTHEAST	Lenoir	2002-2003	51.54%	AFRICAN AMERICAN	BED	68.52%	1.41%	2.17	
SOUTHEAST	Lenoir	2002-2003	43.64%	WHITE	BED	26.85%	.65%		
SOUTHEAST	Lenoir	2003-2004	51.46%	AFRICAN AMERICAN	EMD	79.01%	6.36%	3.76	
SOUTHEAST	Lenoir	2003-2004	42.80%	WHITE	EMD	17.45%	1.69%		
SOUTHEAST	Lenoir	2003-2004	51.46%	AFRICAN AMERICAN	BED	65.22%	1.42%	1.69	
SOUTHEAST	Lenoir	2003-2004	42.80%	WHITE	BED	32.17%	.84%		54.98%
SOUTHEAST	New Hanover	2002-2003	29.91%	AFRICAN AMERICAN	EMD	64.95%	1.93%	5.22	
SOUTHEAST	New Hanover	2002-2003	66.53%	WHITE	EMD	27.84%	.37%		
SOUTHEAST	New Hanover	2002-2003	29.91%	AFRICAN AMERICAN	BED	57.49%	1.47%	3.59	
SOUTHEAST	New Hanover	2002-2003	66.53%	WHITE	BED	35.93%	.41%		
SOUTHEAST	New Hanover	2003-2004	30.09%	AFRICAN AMERICAN	EMD	66.49%	1.84%	5.58	
SOUTHEAST	New Hanover	2003-2004	65.73%	WHITE	EMD	26.49%	.33%		
SOUTHEAST	New Hanover	2003-2004	30.09%	AFRICAN AMERICAN	BED	58.79%	1.60%	3.90	
SOUTHEAST	New Hanover	2003-2004	65.73%	WHITE	BED	32.97%	.41%		42.18%
SOUTHEAST	Onslow	2002-2003	29.10%	AFRICAN AMERICAN	EMD	51.04%	2.74%	2.75	
SOUTHEAST	Onslow	2002-2003	63.91%	WHITE	EMD	40.65%	.995%		
SOUTHEAST	Onslow	2002-2003	29.10%	AFRICAN AMERICAN	BED	45.16%	1.34%	2.16	
SOUTHEAST	Onslow	2002-2003	63.91%	WHITE	BED	46.24%	.62%		
SOUTHEAST	Onslow	2003-2004	29.30%	AFRICAN AMERICAN	EMD	50.45%	2.65%	2.76	
SOUTHEAST	Onslow	2003-2004	63.51%	WHITE	EMD	39.70%	.96%		
SOUTHEAST	Onslow	2003-2004	29.30%	AFRICAN AMERICAN	BED	41.18%	1.10%	1.80	
SOUTHEAST	Onslow	2003-2004	63.51%	WHITE	BED	49.41%	.61%		40.43%
SOUTHEAST	Pamlico	2002-2003	34.02%	AFRICAN AMERICAN	EMD	72.37%	9.26%	4.95	
SOUTHEAST	Pamlico	2002-2003	64.20%	WHITE	EMD	27.63%	1.87%		
SOUTHEAST	Pamlico	2002-2003	34.02%	AFRICAN AMERICAN	BED	30.00%	.51%	.82	
SOUTHEAST	Pamlico	2002-2003	64.20%	WHITE	BED	70.00%	.62%		
SOUTHEAST	Pamlico	2003-2004	34.25%	AFRICAN AMERICAN	EMD	73.42%	9.75%	5.10	
SOUTHEAST	Pamlico	2003-2004	63.27%	WHITE	EMD	26.58%	1.91%		
SOUTHEAST	Pamlico	2003-2004	34.25%	AFRICAN AMERICAN	BED	33.33%	.34%	.94	
SOUTHEAST	Pamlico	2003-2004	63.27%	WHITE	BED	66.67%	.36%		54.90%
SOUTHEAST	Pender	2002-2003	31.03%	AFRICAN AMERICAN	EMD	62.84%	5.43%	3.77	
SOUTHEAST	Pender	2002-2003	64.16%	WHITE	EMD	34.43%	1.44%		
SOUTHEAST	Pender	2002-2003	31.03%	AFRICAN AMERICAN	BED	33.33%	.80%	1.10	
SOUTHEAST	Pender	2002-2003	64.16%	WHITE	BED	62.75%	.73%		
SOUTHEAST	Pender	2003-2004	29.78%	AFRICAN AMERICAN	EMD	64.20%	5.00%	4.10	
SOUTHEAST	Pender	2003-2004	64.55%	WHITE	EMD	33.95%	1.22%		
SOUTHEAST	Pender	2003-2004	29.78%	AFRICAN AMERICAN	BED	34.29%	.58%	1.18	
SOUTHEAST	Pender	2003-2004	64.55%	WHITE	BED	62.86%	.49%		55.96%
SOUTHEAST	Robeson	2002-2003	31.48%	AFRICAN AMERICAN	EMD	41.87%	5.22%	2.82	
SOUTHEAST	Robeson	2002-2003	42.75%	NATIVE AMERICAN	EMD	47.18%	4.33%	2.34	
SOUTHEAST	Robeson	2002-2003	21.16%	WHITE	EMD	9.99%	1.85%		

REGION	LEA/ NUMBER	YEAR	TOTAL POPULATION	RACE	BED/MD	COMPOSITION INDEX	RISK INDEX	RISK RATIO	FREE- REDUCED
SOUTHEAST	Robeson	2002-2003	31.48%	AFRICAN AMERICAN	BED	45.00%	.48%	1.23	
SOUTHEAST	Robeson	2002-2003	42.75%	NATIVE AMERICAN	BED	30.00%	.23%	.59	
SOUTHEAST	Robeson	2002-2003	21.16%	WHITE	BED	25.00%	.39%		
SOUTHEAST	Robeson	2003-2004	30.83%	AFRICAN AMERICAN	EMD	39.91%	5.02%	2.44	
SOUTHEAST	Robeson	2003-2004	43.02%	NATIVE AMERICAN	EMD	48.39%	4.36%	2.12	
SOUTHEAST	Robeson	2003-2004	20.58%	WHITE	EMD	10.49%	2.06%		
SOUTHEAST	Robeson	2003-2004	30.83%	AFRICAN AMERICAN	BED	43.75%	.47%	1.18	
SOUTHEAST	Robeson	2003-2004	43.02%	NATIVE AMERICAN	BED	31.25%	.24%	.60	79.46%
SOUTHEAST	Robeson	2003-2004	20.58%	WHITE	BED	25.00%	.40%		
SOUTHEAST	Sampson	2002-2003	31.51%	AFRICAN AMERICAN	EMD	54.75%	6.59%	3.07	
SOUTHEAST	Sampson	2002-2003	50.81%	WHITE	EMD	28.85%	2.15%		
SOUTHEAST	Sampson	2002-2003	31.51%	AFRICAN AMERICAN	BED	44.12%	.59%	1.34	
SOUTHEAST	Sampson	2002-2003	50.81%	WHITE	BED	52.94%	.44%		
SOUTHEAST	Sampson	2003-2004	30.90%	AFRICAN AMERICAN	EMD	55.03%	6.52%	3.02	
SOUTHEAST	Sampson	2003-2004	50.02%	WHITE	EMD	29.53%	2.16%		
SOUTHEAST	Sampson	2003-2004	30.90%	AFRICAN AMERICAN	BED	43.59%	.68%	1.39	
SOUTHEAST	Sampson	2003-2004	50.02%	WHITE	BED	51.28%	.49%		66.86%
SOUTHEAST	Clinton City	2002-2003	49.13%	AFRICAN AMERICAN	EMD	83.52%	5.72%	7.53	
SOUTHEAST	Clinton City	2002-2003	38.70%	WHITE	EMD	8.79%	.76%		
SOUTHEAST	Clinton City	2002-2003	49.13%	AFRICAN AMERICAN	BED	75.00%	.68%	2.34	
SOUTHEAST	Clinton City	2002-2003	38.70%	WHITE	BED	25.00%	.29%		
SOUTHEAST	Clinton City	2003-2004	48.17%	AFRICAN AMERICAN	EMD	84.34%	5.17%	9.23	
SOUTHEAST	Clinton City	2003-2004	37.75%	WHITE	EMD	7.23%	.56%		
SOUTHEAST	Clinton City	2003-2004	48.17%	AFRICAN AMERICAN	BED	63.64%	.52%	1.86	
SOUTHEAST	Clinton City	2003-2004	37.75%	WHITE	BED	27.27%	.28%		68.23%